

## LoE<sup>3</sup> 366<sup>®</sup> IGU Performance Data

Product Construction			Light Transmission		Light Reflectance			U Factor - SI		SC	SHGC
Outdoor Lite	Airspace	Indoor Lite	Visible (%)	Solar(%)	Outdoor		Indoor	Winter			
					Visible (%)	Solar (%)	Visible (%)	Air	Argon		
6mm Clear	12	6mm Clear	80	63	15	12	15	2.70	2.55	0.83	0.72
6mm LoE <sup>3</sup> -366 <sup>®</sup>	12	6mm Clear	63	24	11	36	11	1.63	1.35	0.31	0.27
6mm LoE <sup>3</sup> -366 <sup>®</sup>	12	6mm EnergyTech™	58	22	12	37	14	1.31	1.10	0.30	0.26
6mm Super Blue™	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	37	14	7	8	9	1.63	1.35	0.28	0.24
6mm Super Green™	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	46	16	8	8	10	1.63	1.35	0.31	0.27
6mm Grey	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	31	12	6	14	9	1.63	1.35	0.26	0.23
6mm Bronze	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	36	14	7	18	9	1.63	1.35	0.29	0.25
6mm EVantage Super Blue™	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	28	10	28	23	13	1.62	1.34	0.22	0.19
6mm EVantage Super Green™	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	34	11	28	23	14	1.62	1.34	0.24	0.21
6mm EVantage Grey™	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	23	9	27	26	11	1.62	1.34	0.21	0.18
6mm EVantage Bronze™	12	6mm LoE <sup>3</sup> -366 <sup>®</sup>	27	10	27	28	12	1.62	1.34	0.23	0.2



Available exclusively in Australia from Glassworks

GLASSWORKS